

Message

From: Albright, David [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8C24CAABEA47449C95C94ACB6AC1C49E-DALBRIGH]
Sent: 10/14/2020 5:43:00 PM
To: Ho, Yenhung [Ho.Yenhung@epa.gov]
Subject: RE: CES Mendota - Follow up on Comments on Class VI

Thanks Calvin.

From: Ho, Yenhung <Ho.Yenhung@epa.gov>
Sent: Wednesday, October 14, 2020 10:40 AM
To: Albright, David <Albright.David@epa.gov>
Cc: Rao, Kate <Rao.kate@epa.gov>
Subject: RE: CES Mendota - Follow up on Comments on Class VI

Confirmed that Cadmus will be available that time and forwarded Shari and MaryEllen the invitation

From: Albright, David <Albright.David@epa.gov>
Sent: Wednesday, October 14, 2020 7:56 AM
To: Ho, Yenhung <Ho.Yenhung@epa.gov>
Cc: Rao, Kate <Rao.kate@epa.gov>
Subject: FW: CES Mendota - Follow up on Comments on Class VI

Hi Calvin, can you please confirm that Cadmus can make Tues. at 10 pacific? Thanks

From: Olsen, Alex O. @Waterboards <Alex.Olsen@Waterboards.ca.gov>
Sent: Wednesday, October 14, 2020 7:49 AM
To: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>; Albright, David <Albright.David@epa.gov>
Cc: Agusiegbe, Vincent@DOC <vincent.agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <janice.zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>
Subject: RE: CES Mendota - Follow up on Comments on Class VI

Hello all,

Tuesday at 10am works for the Regional Board.

Alex Olsen, PG
Senior Engineering Geologist
Underground Injection Control Unit
Central Valley Regional Water Quality Control Board

From: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>
Sent: Wednesday, October 14, 2020 7:43 AM
To: Albright, David <Albright.David@epa.gov>
Cc: Agusiegbe, Vincent@DOC <Vincent.Agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <Janice.Zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>; Olsen, Alex O. @Waterboards <Alex.Olsen@Waterboards.ca.gov>
Subject: Re: CES Mendota - Follow up on Comments on Class VI

David

I apologize for the delay. Tuesday at 10 should work for us, but I will check with the RB.

Vincent, does Tuesday work for you?

John

From: Albright, David <Albright.David@epa.gov>
Sent: Wednesday, October 14, 2020 7:37 AM
To: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>
Cc: Agusiegbe, Vincent@DOC <Vincent.Agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <Janice.Zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>
Subject: RE: CES Mendota - Follow up on Comments on Class VI

EXTERNAL:

Good morning. I've not heard back from anyone as to whether we should keep this meeting this Fri. at 1pm or move it since John is not available. Alternatively, we could meet Tues (10/20) at 10am or Wed. (10/21) at 1pm. Let us know so we can ensure availability of our contractor. Thanks, David

From: Albright, David
Sent: Thursday, October 8, 2020 4:08 PM
To: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>
Cc: Agusiegbe, Vincent@DOC <vincent.agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <janice.zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>
Subject: RE: CES Mendota - Follow up on Comments on Class VI

Thanks John. We can definitely move the meeting to a different day if you prefer.

As for content, that sounds fine. I want to be sure you all have digested all of the technical review letters we've sent to CES (there are now 3, attached). My recollection was that some of the issues raised by the state in our initial meeting were not addressed in our first comment letter to CES (which focused on geologic site characterization) but could have been picked up in one of the subsequent letters, which covered other key topics, including AOR and modeling issues. In any event, we're happy to convene another technical discussion and we'll have our contractor join us. Just let me know if you want us to find a better day so you can participate. Thanks, David

From: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>
Sent: Thursday, October 8, 2020 3:19 PM
To: Albright, David <Albright.David@epa.gov>
Cc: Agusiegbe, Vincent@DOC <vincent.agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <janice.zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>; Dermer, Michele <Dermer.Michele@epa.gov>
Subject: RE: CES Mendota - Follow up on Comments on Class VI

Hi David

We would like to discuss with you issues that were previously raised that weren't addressed and some new questions that are more technical in nature (geochemistry) that maybe the contractor could answer. CalGEM (Vincent and his team) also has questions and we are attempting to coordinate by having a single meeting hopefully avoid potentially redundant meetings.

Lastly I am off work next Friday, but Janice can cover if that works for folks.

John

From: Albright, David <Albright.David@epa.gov>

Sent: Thursday, October 8, 2020 2:33 PM

To: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>

Cc: Agusiegbe, Vincent@DOC <Vincent.Agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <Janice.Zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>; Dermer, Michele <Dermer.Michele@epa.gov>

Subject: RE: CES Mendota - Follow up on Comments on Class VI

EXTERNAL:

Hi John, Calvin and I are available to meet next Friday at 1pm. If you can let us know specific issues you want to discuss, that would be helpful in determining whether to have our contractor join as well. Thanks, David

David Albright
Manager, Groundwater Protection Section
USEPA Region 9 (WTR-4-2)
75 Hawthorne Street
San Francisco, CA 94105
415 972-3971

From: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>

Sent: Thursday, October 8, 2020 11:25 AM

To: Albright, David <Albright.David@epa.gov>; Dermer, Michele <Dermer.Michele@epa.gov>

Cc: Agusiegbe, Vincent@DOC <vincent.agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <janice.zinky@waterboards.ca.gov>

Subject: CES Mendota - Follow up on Comments on Class VI

David and Michele

CalGEM and the Water Boards would like to meet with you to discuss the CES project. Are you available later next week?

Thanks
John

John Borkovich, PG
State Water Board, Div. Of Water Quality
Groundwater Monitoring Section Chief
1001 I Street, Sacramento CA 95814
John.Borkovich@waterboards.ca.gov

Note: I'm currently teleworking and checking VM infrequently. Best to contact me via email.